



GALAXY POPCORN MACHINES

Models G8-Y, G12-Y, G14-Y & G18-Y

Features/Benefits:

- ★ Star's Galaxy popcorn machines bring smell, taste and fun to a variety of foodservice operations.
- ★ Available in 8, 12, 14 and 18 oz. kettle sizes to fit any foodservice volume requirements.
- ★ Euro style design with etched glass makes Galaxy Popcorn machines an attractive addition to any foodservice operation.
- ★ Pops 170 to 360 one ounce servings of Star's quality Chief's Choice brand popcorn per hour (Contact factory for details).
- ★ Kettle design allows safe and easy dispensing of your popped corn into the cabinet.
- ★ Heated stainless steel corn deck keeps your popcorn fresh and crisp.
- ★ Heavy-duty aluminum posts, plexiglass door and stainless steel construction provide strength, durability and maintenance free operation.
- ★ A magnetic catch holds the one-piece kettle lid up for easy and safe loading of Chief's Choice popcorn.
- ★ Clear two-piece plexiglass door with aluminum hinge and magnetic catch stands up to constant use.
- ★ Features stainless steel drawer for easy removal of old maids (unpopped kernels).
- ★ Top control panel has two on/off switches:
Top switch is for kettle heat.
Bottom is for corn deck and heat lamp.
- ★ Optional bases and carts available to convert your counter top popcorn machine into a floor model machine.



Model G8-Y (8 oz) & G12-Y (12 oz)



Model G14-Y (14 oz) or G18-Y (18 oz) on Model GPB-14 Base

Applications:

The Galaxy popcorn popper brings life to every party. Perfect for convenience stores, concessions, recreational facilities and fun centers, restaurants, bars, theaters or wherever you want to pop and dispense delicious popcorn.

Quality Construction:

Galaxy popcorn poppers are constructed with nickel plated steel kettle with stainless steel exterior shell. Kettle is heated by thermostatically controlled spiral sheathed elements and supported by cast aluminum alloy twin hanger arms. Infrared heat lamp with a stainless steel safety cage and a sheathed element under stainless steel deck. Popper cabinet has three full length plexi-glass panels with aluminum alloy corner posts. Access doors are 3/4" plexi-glass with full length aluminum alloy hinges with a clear lexan drop panel. Popper is complete with a 6' lead in cord and NEMA plug.

Warranty:

Galaxy popcorn popper is covered by Star's one year parts and labor warranty.






Star Manufacturing International, Inc.

Galaxy Popcorn Machine

GALAXY POPCORN MACHINES

Model G8-Y, G12-Y, G14-Y & G18-Y



Specifications

Model No.	Description	Popping Cap. Per Hour	Shipping Weight lbs. (kg)	Dimensions			Electrical			
				(A) Width Inches (cm)	(B) Depth Inches (cm)	(C) Height Inches (cm)	Volts	Watts	Amp.	NEMA
G8-Y	8 Oz. Popper	170 1 Oz. Servings	99 (44.9)	21-1/8 (53.6)	21-1/8 (53.6)	35-1/2 (90.1)	120*** 240	1736	14.5 7.2	5-15P*** 6-15P
G12-Y	12 Oz. Popper	240 1 Oz. Servings	99 (44.9)	21-1/8 (53.6)	21-1/8 (53.6)	35-1/2 (90.1)	120 240	2136	17.8* 8.9	5-20P*** 6-15P
G14-Y	14 Oz. Popper	280 1 Oz. Servings	125 (56.7)	28-1/8 (71.4)	24-1/8 (61.2)	35-1/2 (90.1)	120 240	2416	20.1*** 10	5-30P 6-15P
G18-Y	18 Oz. Popper	360 1 Oz. Servings	125 (56.7)	28-1/8 (71.4)	24-1/8 (61.2)	35-1/2 (90.1)	240	2816	11.7	6-15P

Accessories

Galaxy Bases					
GPB-8	Base for G8 & G12 Poppers	70 (31.7)	21-1/8 (53.6)	21-1/8 (53.6)	33-1/2 (85.0)
GPB-14	Base for G14 & G18 Poppers	81 (36.7)	28-1/8 (71.4)	24-1/8 (61.2)	33-1/2 (85.0)
Galaxy Cart					
GPC-8	Cart for G8 & G12 Poppers	74 (33.6)	21-1/8 (53.6)	21-1/8 (53.6)	33 (83.8)
GPC-14	Cart for G14 & G18 Poppers	85 (38.6)	28-1/8 (71.4)	24-1/8 (61.2)	33 (83.8)

*Requires 20 Amp dedicated line. **Requires 30 Amp dedicated line.

***Not CSA Approved

Typical Specifications

Popcorn machine cabinet is constructed with aluminum alloy corner posts and tempered glass panels. The popping kettle is constructed of nickel plated steel and stainless steel shell. Kettle is heated by spiral sheath elements and is thermostatically controlled. An aluminum transfer plate is attached to bottom of kettle to provide equal heat distribution and heat retention in the popping kettle. The kettle is supported by cast aluminum alloy twin hanger arms which provide the safest operation. The kettle pivots on its own axis providing maximum utilization of cabinet and provides easy removal of popcorn.

A gearless agitator shaft with an easily removable stainless steel agitator is provided for optimum popping results. An infra-red heat lamp with a stainless steel safety cage and a sheath element under the stainless steel corn deck are provided to keep popped corn fresh and warm. A stainless steel old maid drawer is provided. Lighted switches that control the kettle, agitator motor and warming functions is standard.

Cabinet has plexiglass doors with full length aluminum alloy hinges and a clear lexan drop panel. Machine is supplied with a 6 ft. lead-in cord and plug. Units are National Sanitation Foundation approved, listed by Underwriters Laboratories or CSA approved. Optional matching carts and bases to convert to free standing units available. Printed in the U.S.A.

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While Star Manufacturing exercises good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.

Star Manufacturing International Inc. - 10 Sunnen Drive - P.O. Box 430129 - St. Louis, MO 63143-3800
Phone: (800) 264-7827 - FAX: (800) 264-6666 - www.star-mfg.com